



# *Environmental Effects of Dredging Technical Notes*



DTIC  
ELECTR  
MAR 29 1995  
C

FACTORS INFLUENCING BIOACCUMULATION OF SEDIMENT-ASSOCIATED  
CONTAMINANTS BY AQUATIC ORGANISMS;  
GLOSSARY AND BIBLIOGRAPHY

**PURPOSE:** This is the fourth technical note in a series of four which outlines and describes the principal factors that determine uptake and retention of chemicals by aquatic organisms. The first three notes in the series describe factors relating to contaminants, sediment and water, and biota. This note contains a glossary of terms and a bibliography of key and recent publications in the scientific literature containing supporting data and discussion on each topic. The information contained herein is intended to assist Corps of Engineers environmental personnel in activities requiring a working knowledge of concepts and terminology in the subject of chemical uptake, retention, and elimination by aquatic organisms exposed to contaminated sediments.

**BACKGROUND:** Bioaccumulation is the general term used to refer to the uptake and storage of chemicals by organisms from their environment through all routes of entry. Bioaccumulation includes bioconcentration, which is the direct uptake of chemicals from water alone, and is distinguished from biomagnification, which is the increase in chemical residues taken up through two or more levels of a food chain. Assessments of the potential for bioaccumulation of toxic substances associated with dredged sediments are often required in evaluations of permit requests. Thus, familiarity with the fundamental physical, biological, and chemical factors affecting bioaccumulation is necessary for performing evaluations of the ecological impacts of dredging operations. Additionally, a basic understanding of the concepts and terminology of bioaccumulation is increasingly required of environmental personnel who are involved in dredging and disposal operations which may involve contaminated sediments and legal personnel involved with regulation and litigation.

These notes are intended to serve as a source of basic information and to provide a guide to the scientific literature for each topic discussed. The emphasis is on factors affecting bioaccumulation of sediment-associated chemicals. A brief discussion of each factor is given and a list of references is provided. The references are extensive and frequently bear on more than one topic. An effort has been made to select both historically important works and the most recent research reports in each area. Numbers in parentheses following the subject headings locate the references for each subject. Papers referenced are alphabetized for each subject for each identification of those most pertinent to the reader's interest.

US Army Engineer Waterways Experiment Station  
3909 Halls Ferry Road, Vicksburg, MS 39180-6199

19950327 119  
Approved for public release  
Distribution Unlimited

DTIC QUALITY INSPECTED 1

The subjects discussed in these notes reflect current research for which new findings constantly appear in the literature. Consequently, the discussions and interpretations are based on inference and best judgment regarding the interactions of factors influencing bioaccumulation and represent the best understandings of the authors. Readers are encouraged to consult the literature cited.

ADDITIONAL INFORMATION: Contact the authors--Mr. Victor A. McFarland, (601) 634-3721; Mr. Charles H. Lutz, (601) 634-2489; or Mr. Francis J. Reilly, (601) 634-4148--or the manager of the Environmental Effects of Dredging Programs, Dr. Robert M. Engler (601) 634-3624.

### Glossary

**Absorption:** assimilation of a chemical into biological tissue by capillary, osmotic, chemical, or solvent action.

**Adsorption:** condensation of gases, liquids, or dissolved substances on the surfaces of solids.

**Assimilation efficiency:** speed and effectiveness with which a chemical in food is incorporated into the tissues of an organism.

**Bilipid:** membrane formed of two separate sheets of lipid molecules which orient themselves so that the polar headgroups are exposed to the outer aqueous environment and the nonpolar tails are exposed to each other.

**Bioaccumulation potential:** equilibrium concentration of a foreign compound that could result in an organism's tissues given unlimited time and an absence of degradative and gradient effects.

**Bioavailability:** extent to which the fraction of the total chemical in the environment is available for uptake by an organism.

**Biphasic:** having two separate and distinct stages or periods.

**Body burden:** total concentration of a chemical in an organism taken up from the environment.

**Cation:** positively charged ion.

**Cationic exchange capacity:** extent to which negatively charged groups of a sediment matrix are able to exchange one cation for another.

**Coprecipitate:** inclusion of ions in a precipitation reaction by physical association rather than chemical bonding.

**Complexation:** bonding of metal ions with organic molecules.

**Conjugation:** addition reactions in which large chemical groups or entire compounds such as sugars and amino acids are covalently added to endogenous or foreign organic chemical compounds in metabolic detoxication.

Conservative: reaction that is not destructive to the reactants or catalysts involved.

Crystal matrix: highly ordered and highly stable arrangement of atoms or molecules that is necessary for the formation of a crystalline solid.

Detoxication: rendering of a toxic substance harmless, usually through metabolic processes and by excretion; detoxication can precede and thus prevent toxic effects.

Detoxification: correction of a state of intoxication.

Dissociated: state of a chemical compound that has been broken down into its simpler constituents.

Dissociation constant: constant that describes the difference in concentration at equilibrium between the dissociated and undisassociated forms of a chemical combination.

Divalent: having a valence or oxidation number of two.

Electron-withdrawing: molecule or group on a molecule that carries a full or partial positive charge by virtue of which it acts to pull electrons from other molecules.

Electronegative: having a tendency to attract electrons especially in the formation of an electrovalent bond.

Endogenous: normally occurring in an organism.

Ferric: substance composed of, relating to, or containing iron, especially substances in which the iron is trivalent.

Free ion: unbound charged particle in solution.

Functional group: an assemblage of atoms that imparts chemical activity to a molecule.

Humic material: complex heterogeneous substance produced in soils and aquatic sediments by the decay and decomposition of organic matter, chiefly of plant origin.

Hydrolysis: double decomposition reaction involving the splitting of water into its ions and the formation of a weak acid or base or both.

Hydrous oxides: amorphous, noncrystalline and permeable structures composed primarily of the oxides of iron and manganese and formed on mineral particles.

In situ: in the natural or original position.

Induction: stimulation of synthesis of enzymes through an increase in available substrate for enzymatic action.

ION FO  
CRA&I  
TAB  
nounced  
ication

By <i>Res Form 30</i>	
Distribution!	
Availability: Co	
Dist	Avail and/ Special
<i>A-1</i>	

Ion-exchange resin: permeable solid containing chemically bound charged groups to which ions are electrostatically bound and exchangeable with other ions of like charge.

Ionic strength of solution: relative concentration of charged particles in a solution.

Labile fraction: portion of a compound that readily undergoes physical, chemical, or biological change.

Manganic: substance composed of, relating to, or containing manganese, especially those in which the manganese is trivalent.

Micelle: water-soluble molecular aggregate composed of molecules containing both polar and nonpolar components that form with the polar units oriented to the outside of the aggregate and the nonpolar groups to the inside.

Normalization: expression of concentration data for a chemical in a complex mixture on the basis of one component of the mixture that is thought to account for most of the association of the chemical with the mixture.

One-compartment model: kinetic model in which the organism is considered as an integrated unit in terms of uptake and elimination; individual internal distribution and disposition rates are not considered.

Organometalloid: complex formed by binding of a metallic ion with an organic ligand.

Partitioning: distribution of a chemical between two immiscible solvents or phases.

Passive equilibration: equalization of concentration of a chemical substance on both sides of a membrane without the use of energy consuming processes.

Perfusion: pumping of a fluid through an organ or a tissue.

Polyvalent: substance that can have more than one valence state.

Protonation: uptake of hydrogen ions by a molecule to give an overall positive charge.

Steady state: state at which the competing rates of uptake and elimination of a chemical by an organism are equal and the net exchange of chemical is zero.

Substrate: chemical, usually a biogenic macromolecule, that serves as a reactant in biochemical transformation processes.

Van der Waals/London forces: relatively weak electrostatic attraction between atoms and molecules arising from fluctuations in their electron distributions as the electrons circulate in their orbitals.

## Bibliography

### Fugacity (1-12)

- 1 Dexter, R. N. and Pavlou, S. P. 1978. "Distribution of Stable Organic Molecules in the Marine Environment: Physical Chemical Aspects; Chlorinated Hydrocarbons," *Marine Chemistry*, Vol 7, pp 67-84.
- 2 Mackay, D., and Paterson, S. 1981. "Calculating Fugacity," *Environmental Science & Technology*, Vol 15, No. 9, pp 1006-1014.
- 3 Mackay, D., and Paterson, S. 1982. "Fugacity Revisited," *Environmental Science & Technology*, Vol 16, No. 12, pp 654A-660A.
- 4 Mackay, D., Joy, M., and Paterson, S. 1983. "A Quantitative Water, Air, Sediment Interaction (QWASI) Fugacity Model for Describing the Fate of Chemicals in Lakes," *Chemosphere*, Vol 12, No. 7/8, pp 981-997.
- 5 Mackay, D., Paterson, S., and Cheung, B. 1985. "Evaluating the Environmental Fate of Chemicals, The Fugacity-Level III Approach as Applied to 2,3,7,8 TCDD," *Chemosphere*, Vol 14, No. 6/7, pp 859-863.
- 6 McFarland, V. A. 1984. "Activity-Based Evaluation of Potential Bioaccumulation from Sediments," In: *Dredging and Dredged Material Disposal*, Raymond L. Montgomery and Jamie W. Leach, Editors, American Society of Civil Engineers, New York, Vol 1, pp 461-466.
- 7 Paterson, S., and Mackay, D. 1987. "A Steady-State Fugacity-Based Pharmacokinetic Model with Simultaneous Multiple Exposure Routes," *Environmental Toxicology and Chemistry*, Vol 6, No. 5, pp 395-408.
- 8 Pavlou, S. P. 1980. "Thermodynamic Aspects of Equilibrium Sorption of Persistent Organic Molecules at the Sediment-Seawater Interface: A Framework for Predicting Distributions in the Aquatic Environment," In: *Contaminants and Sediments*, Robert A. Baker, Editor, Ann Arbor Science Publishing, Inc., Michigan, Vol 2, pp 323-332.
- 9 Pavlou, S. P. and Dexter, R. N. 1979. "Distribution of Polychlorinated Biphenyls (PCB) in the Estuarine Ecosystems, Testing the Concept of Equilibrium Partitioning in the Marine Environment," *Environmental Science & Technology*, Vol 13, No. 1, pp 65-70.
- 10 Pavlou, S. P., and Dexter, R. N. 1979. "Physical and Chemical Aspects of the Distribution of Polychlorinated Biphenyls in the Aquatic Environment," *Aquatic Toxicology*, pp 195-211.
- 11 Prausnitz, J. M. 1969. *Molecular Thermodynamics of Fluid Phase Equilibria*, Prentice-Hall, Englewood Cliffs, NJ.
- 12 Reuber, B., MacKay, D., Paterson, S., and Stokes, P. 1987. "A Discussion of Chemical Equilibria and Transport at the Sediment-Water Interface," *Environmental Toxicology and Chemistry*, Vol 6, pp 731-739.

### Hydrophobicity (13-18)

- 13 Lyman, Warren J., Reehl, William F., and Rosenblatt, David H., Editors. 1982. *Handbook of Chemical Property Estimation Methods*, McGraw-Hill, New York.
- 14 Gobas, F. A. P. C., and Mackay, D. 1987. "Dynamics of Hydrophobic Organic Chemical Bioconcentration in Fish," *Environmental Toxicology and Chemistry*, Vol 6, No. 7, pp 495-504.
- 15 Hamaker, J. W., and Thompson, J. M. 1972. "Adsorption," In: *Organic Chemicals in the Soil Environment*, Vol 1, Cleve A. I. Goring and John W. Hamaker, Editors, Marcel Dekker, Inc., New York, pp 49-143.
- 16 Horne, R. A. 1978. "Effect of Structure and Physical Characteristics of Water on Water Chemistry," In: *The Chemistry of Our Environment*, R. A. Horne, Editor, Wiley Interscience, London, England, pp 915-947.
- 17 Opperhuizen, O., and Stokkel, R. C. A. M. 1988. "Influence of Contaminated Particles on the Bioaccumulation of Hydrophobic Organic Micropollutants in Fish," *Environmental Pollution*, Vol 51, pp 165-177.
- 18 Wolfenden, R. 1983. "Waterlogged Molecules," *Science*, Vol 222, No. 4628, pp 1087-1093.

### Solubility (13, 19-24)

- 19 Abernathy, S., Bobra, A. M., Shiu, W. Y., Wells, P. G., and Mackay, D. 1986. "Acute Lethal Toxicity of Hydrocarbons and Chlorinated Hydrocarbons to Two Planktonic Crustaceans: The Key Role of Organism-Water Partitioning," *Aquatic Toxicology*, Vol 8, pp 163-174.
- 20 Miller, M. M., Wasik, S. P., Huang, G.-L., Shiu, W.-Y., and Mackay, D. 1985. "Relationships between Octanol-Water Partition Coefficient and Aqueous Solubility," *Environmental Science & Technology*, Vol 19, No. 6, pp 522-529.
- 21 Schoor, W. P. 1975. "Problems Associated with Low-Solubility Compounds in Aquatic Toxicity Tests: Theoretical Model and Solubility Characteristics of Aroclor 1254 in Water," *Water Research*, Vol 9, pp 937-944.

- 22 Valvani, S. C., Yalkowsky, S. H., and Roseman, T. J. 1981. "Solubility and Partitioning IV: Aqueous Solubility and Octanol-Water Partition Coefficients of Liquid Nonelectrolytes," *Journal of Pharmaceutical Sciences*, Vol 70, No. 5, pp 502-507.
- 23 Wasik, S. P., Miller, M. M., Tewari, Y. B., May, W. E., Sonnefeld, W. J., DeVoe, H., and Zoller, W. H. 1983. "Determination of the Vapor Pressure, Aqueous Solubility, and Octanol/Water Partition Coefficient of Hydrophobic Substances by Coupled Generator Column/Liquid Chromatographic Methods," In: *Residue Reviews*, Francis A. Gunther and Jane Davies Gunther, Editors, Vol 85, Springer-Verlag, New York, pp 29-42.
- 24 Yalkowsky, S. H., Valvani, S. C., and Mackay, D. 1983. "Estimation of the Aqueous Solubility of Some Aromatic Compounds," In: *Residue Reviews*, Francis A. Gunther and Jane Davies Gunther, Editors, Vol 85, Springer-Verlag, New York, pp 43-55.

#### Stability (25-30)

- 25 Ballschmiter, K., Zell, M., and Neu, H. J. 1978. "Persistence of PCB's in the Ecosphere, Will Some PCB-Components "Never" Degrade?," *Chemosphere*, No. 2, pp 173-176.
- 26 Eichelberger, J. W., and Lichtenberg, J. J. 1971. "Persistence of Pesticides in River Water," *Environmental Science & Technology*, Vol 5, No. 6, pp 541-544.
- 27 Langston, W. J. 1978. "Persistence of Polychlorinated Biphenyls in Marine Bivalves," *Marine Biology*, Vol 46, pp 35-40.
- 28 Pavlou, S. P. 1980. "Thermodynamic Aspects of Equilibrium Sorption of Persistent Organic Molecules at the Sediment-Seawater Interface: A Framework for Predicting Distributions in the Aquatic Environment," In: *Contaminants and Sediments*, Robert A. Baker, Editor, Ann Arbor Science Publishing, Michigan, Vol 2, pp 324-332.
- 29 Wilson, A. J., and Forester, J. 1978. "Persistence of Aroclor 1254 in a Contaminated Estuary," *Bulletin of Environmental Contamination and Toxicology*, Vol 19, pp 637-640.
- 30 Young, D. R., McDermott-Ehrlich, D., and Heesen, T. C. 1977. "Sediments as Sources of DDT and PCB," *Marine Pollution Bulletin*, Vol 8, No. 11, pp 254-257.

#### Stereochemistry (14, 31-42)

- 31 Deneer, J. W., Sinnige, T. L., Seinen, W., and Hermens, J. L. M. 1987. "Quantitative Structure-Activity Relationships for the Toxicity and Bioconcentration Factor of Derivatives Towards the Guppy (*Poecilia reticulata*)," *Aquatic Toxicology*, Vol 10, pp 115-129.
- 32 Govers, H., Ruepert, C., and Aiking, H. 1984. "Quantitative Structure-Activity Relationships for Polycyclic Aromatic Hydrocarbons: Correlation Between Molecular Connectivity, Physico-Chemical Properties, Bioconcentration and Toxicity in *Daphnia pulex*," *Chemosphere*, Vol 13, No. 2, pp 227.
- 33 Lambert, S. M. 1967. "Functional Relationship Between Sorption in Soil and Chemical Structure," *Journal of Agricultural and Food Chemistry*, Vol 15, No. 4, pp 572-576.
- 34 Lipnick, R. L. 1985. "A Perspective on Quantitative Structure-Activity Relationships in Ecotoxicology," *Environmental Toxicology and Chemistry*, Vol 4, pp 255-257.
- 35 Nirmalakhandan, N., and Speece, R. E. 1988. "Structure-Activity Relationships: Quantitative Techniques for Predicting the Behavior of Chemicals in the Ecosystem," *Environmental Science & Technology*, Vol 22, No. 6, pp 606-615.
- 36 Opperhuizen, A., van der Velde, E. W., Gobas, F. A. P. C., Liem, D. A. K., and van der Steen, J. M. D. 1985. "Relationship Between Bioconcentration in Fish and Steric Factors of Hydrophobic Chemicals," *Chemosphere*, Vol 14, No. 11/12, pp 1871-1896.
- 37 Sabljic, A., and Protic, M. 1982. "Molecular Connectivity: A Novel Method for Prediction of Bioconcentration Factor of Hazardous Chemicals," *Chemical-Biological Interactions*, Vol 42, pp 301-310.
- 38 Safe, S., Bandiera, S., Sawyer, T., Robertson, L., Safe, L., Parkinson, A., Thomas, P. E., Ryan, D. E., Reik, L. M., Levin, W., Denomme, M. A., and Fujita, T. 1985. "PCBs: Structure-Function Relationships and Mechanisms of Action," *Environmental Health Perspectives*, Vol 60, pp 47-56.
- 39 Shaw, G. R., and Connell, D. W. 1984. "Physicochemical Properties Controlling Polychlorinated Biphenyl (PCB) Concentrations in Aquatic Organisms," *Environmental Science & Technology*, Vol 18, No. 1, pp 18-23.
- 40 Stalling, D. L., Huckins, J. N., Petty, J. D., Johnson, J. L., and Sanders, H. O. 1979. "An Expanded Approach to the Study and Measurement of PCBs and Selected Planar Halogenated Aromatic Environmental Pollutants," *Annals of the New York Academy of Sciences*, Vol 320, pp 48-59.
- 41 Veith, G. D., DeFoe, D. L., and Bergstedt, B. V. 1979. "Measuring and Estimating the Bioconcentration Factor of Chemicals in Fish," *Journal, Fisheries Research Board of Canada*, Vol 36, pp 1040-1048.

- 42 Zaroogian, G. E., Heltshe, J. F., and Johnson, M. 1985. "Estimation of Bioconcentration in Marine Species Using Structure-Activity Models," *Environmental Toxicology and Chemistry*, Vol 4, No. 1, pp 3-12.

#### **Eh and pH (43-46)**

- 43 Adams, T. M. 1985. "The Effect of pH on the Uptake of Zinc, Copper and Nickel from Chloride Solutions by an Uncontaminated Sewage Sludge," *Environmental Pollution (Series B)*, Vol 9, pp 151-161.
- 44 Hermann, R., and Neumann-Mahlkau, P. 1985. "The Mobility of Zinc, Cadmium, Copper, Lead, Iron and Arsenic in Ground Water as a Function of Redox Potential and pH," *The Science of the Total Environment*, Vol 43, pp 1-12.
- 45 Patrick, W. H., Jr., Gambrell, R. P., and Khalid, R. A. 1977. "Physicochemical Factors Regulating Solubility and Bioavailability of Toxic Heavy Metals in Contaminated Dredged Sediment," *Journal of Environmental Science and Health; Part A—Environmental Science and Engineering*, Vol 12, No. 9, pp 475-492.
- 46 Zierath, D. L., Hassett, J., and Banwart, W. L. 1980. "Sorption of Benzidine by Sediments and Soils," *Soil Science*, Vol 129, No. 5, pp 277-281.

#### **Hydrous ferric and manganese oxides (45, 47-55)**

- 47 Balls, P. W. 1986. "Composition of Suspended Particulate Matter From Scottish Coastal Waters - Geochemical Implications for the Transport of Trace Metal Contaminants," *The Science of the Total Environment*, Vol 57, pp 171-180.
- 48 Hem, J. D. 1977. "Reactions of Metal Ions at Surfaces of Hydrous Iron Oxide," *Geochemica et Cosmochimica Acta*, Vol 41, pp 527-538.
- 49 Jenne, E. A. 1968. "Controls on Mn, Fe, Co, Ni, Cu, and Zn Concentrations in Soils and Water: the Significant Role of Hydrous Mn and Fe Oxides," In: *Trace Inorganics in Water*, Advances in Chemistry Series, Robert F. Gould, Editor, American Chemical Society Publication, pp 337-387.
- 50 Jenne, E. A. 1977. "Trace Element Sorption by Sediments and Soils—Sites and Processes," *Symposium on Molybdenum in the Environment*, W. Chappel and K. Petersen, Editors, Marcel Dekker, Inc., New York, Vol 2, pp 425-552.
- 51 Laxen, D. P. H. 1985. "Trace Metal Adsorption/Coprecipitation on Hydrous Ferric Oxide under Realistic Conditions," *Water Research*, Vol 19, No. 10, pp 1229-1236.
- 52 Lion, L. W., Altmann, R. S., and Leckie, J. O. 1982. "Trace-Metal Adsorption Characteristics of Estuarine Particulate Matter: Evaluation of Contributions of Fe/Mn Oxide and Organic Surface Coatings," *Environmental Science & Technology*, Vol 16, No. 10, pp 660-666.
- 53 Loganathan, P., and Bureau, R. G. 1973. "Sorption of Heavy Metal Ions by a Hydrous Manganese Oxide," *Geochemica et Cosmochimica Acta*, Vol 37, pp 1277-1293.
- 54 Stauffer, T. B., and MacIntyre, W. G. 1986. "Sorption of Low-Polarity Organic Compounds on Oxide Minerals and Aquifer Material," *Environmental Toxicology and Chemistry*, Vol 5, No. 11, pp 949-955.
- 55 Swallow, K. C., Hume, D. N., and Morel, F. M. M. 1980. "Sorption of Copper and Lead by Hydrous Ferric Oxide," *Environmental Science & Technology*, Vol 14, No. 11, pp 1326-1331.

#### **Kinetics of adsorption/desorption (56-65)**

- 56 Ellgehausen, H., Guth, J. A., and Esser, H. O. 1979. "Factors Determining the Bioaccumulation Potential of Pesticides in the Individual Compartments of Aquatic Food Chains," 4th International Congress Pesticide Chemistry (IUPAC), Zurich, July 24-28, 1978, pp 134-157.
- 57 Hassett, J. J., Banwart, W. L., Wood, S. G., Means, J. C. 1981. "Sorption of  $\alpha$ -Naphthol: Implications Concerning the Limits of Hydrophobic Sorption," *Soil Science Society of America Journal*, Vol 45, No. 1, pp 38-42.
- 58 Karickhoff, S. W. 1980. "Sorption Kinetics of Hydrophobic Pollutants in Natural Sediments," In: *Contaminants and Sediments*, Robert A. Baker, Editor, Ann Arbor Science Publishing, Michigan, Vol 2, pp 193-205.
- 59 Karickhoff, S. W. 1981. "Semi-Empirical Estimation of Sorption of Hydrophobic Pollutants on Natural Sediments and Soils," *Chemosphere*, Vol 10, No. 8, pp 833-846.
- 60 Karickhoff, S. W., and Morris, K. R. 1985. "Sorption Dynamics of Hydrophobic Pollutants in Sediment Suspensions," *Environmental Toxicology and Chemistry*, Vol 4, No. 4, pp 469-479.
- 61 Nau-Ritter, G. M., and Wurster, C. F. 1983. "Sorption of Polychlorinated Biphenyls (PCB) to Clay Particulates and Effects of Desorption on Phytoplankton," *Water Research*, Vol 17, No. 3, pp 383-387.

- 62 Voice, T. C., and Weber, W. J., Jr. 1983. "Sorption of Hydrophobic Compounds by Sediments, Soils and Suspended Solids I: Theory and Background," *Water Research*, Vol 17, No. 10, pp 1433-1441.
- 63 Weber, W. J., Jr., Voice, T. C., Pirbazari, M., Hunt, G. E., and Ulanoff, D. M. 1983. "Sorption of Hydrophobic Compounds by Sediments, Soils and Suspended Solids II: Sorbent Evaluation Studies," *Water Research*, Vol 17, No. 10, pp 1443-1452.
- 64 Wu, S.-C., and Gschwend, P. M. 1986. "Sorption Kinetics of Hydrophobic Organic Compounds to Natural Sediments and Soils," *Environmental Science & Technology*, Vol 20, No. 7, pp 717-725.
- 65 Young, T. C., DePinto, J. V., and Kipp, T. W. 1987. "Adsorption and Desorption of Zn, Cu, and Cr by Sediments from the Raisin River (Michigan)," *Journal of Great Lakes Research*, Vol 13, No. 3, pp 353-366.

#### **Oil and grease (66-69)**

- 66 DiSalvo, L. H., Gurd, H. E., Hirsch, N. D., and Ng, J. 1977. "Assessment and Significance of Sediment-Associated Oil and Grease in Aquatic Environments," Technical Report D-77-26, US Army Engineer Waterways Experiment Station, Vicksburg, MS.
- 67 Hoeppe, R. E., Myers, T. E., and Engler, R. M. 1978. "Physical and Chemical Characterization of Dredged Material Influent and Effluent in Confined Land Disposal Areas," Technical Report D-78-24, US Army Engineer Waterways Experiment Station, Vicksburg, MS.
- 68 Meier, P. G., and Rediske, R. 1979. "The Effect of Sediment Oil Contamination on the Bioaccumulation and Excretion of Aroclor 1242 by Chironomid Larvae," *Michigan Sea Grant Program*, pp 1-15.
- 69 Meier, P. G., and Rediske, R. R. 1984. "Oil and PCB Interactions on the Uptake and Excretion in Midges," *Bulletin of Environmental Contamination and Toxicology*, Vol 33, pp 225-232.

#### **Particle interactions (70-75)**

- 70 Di Toro, D. M., Mahony, J. D., Kirchgraber, P. R., O'Byrne, A. L., Pasquale, L. R., and Piccirilli, D. C. 1986. "Effects of Nonreversibility, Particle Concentration, and Ionic Strength on Heavy Metal Sorption," *Environmental Science & Technology*, Vol 20, No. 1, pp 55-61.
- 71 Horzempa, L. M., and Di Toro, D. M. 1983. "PCB Partitioning in Sediment-Water Systems: The Effect of Sediment Concentration," *Journal of Environmental Quality*, Vol 12, No. 3, pp 373-380.
- 72 Mackay, D., and Powers, B. 1987. "Sorption of Hydrophobic Chemicals from Water: A Hypothesis for the Mechanism of the Particle Concentration Effect," *Chemosphere*, Vol 16, No. 4, pp 745-757.
- 73 O'Connor, D. J., and Connolly, J. P. 1980. "The Effect of Concentration of Adsorbing Solids on the Partition Coefficient," *Water Research*, Vol 14, pp 1517-1523.
- 74 Voice, T. C., Rice, C. P., and Weber, W. J., Jr. 1983. "Effect of Solids Concentration on the Sorptive Partitioning of Hydrophobic Pollutants in Aquatic Systems," *Environmental Science & Technology*, Vol 17, No. 9, pp 513-517.
- 75 Voice, T. C., and Weber, W. J., Jr. 1985. "Sorbent Concentration Effects in Liquid/Solid Partitioning," *Environmental Science & Technology*, Vol 19, No. 9, pp 789-796.

#### **Sediment organic carbon (62-63, 76-91)**

- 76 Adams, R. S., Jr., and Li, P. 1971. "Soil Properties Influencing Sorption and Desorption of Lindane," *Soil Science Society of America Proceedings*, Vol 35, pp 78-81.
- 77 Banwart, W. L., Hassett, J. J., Wood, S. G., and Means, J. C. 1982. "Sorption of Nitrogen-Heterocyclic Compounds by Soils and Sediments," *Soil Science*, Vol 133, No. 1, pp 42-47.
- 78 Briggs, G. G. 1973. "A Simple Relationship Between Soil Adsorption of Organic Chemicals and Their Octanol/Water Partition Coefficients," In: *Proceedings, 7th British Insecticide and Fungicide Conference*, Brighton, England, 19-22 November, 1973, British Crop Protection Council, London, Vol 11, pp 1-87.
- 79 Brown, D. S., and Flagg, E. W. 1981. "Empirical Prediction of Organic Pollutant Sorption in Natural Sediments," *Journal of Environmental Quality*, Vol 10, No. 3, pp 382-386.
- 80 Connor, M. S. 1984. "Fish/Sediment Concentration Ratios for Organic Compounds," *Environmental Science & Technology*, Vol 18, pp 31-35.
- 81 Foster, G. D., Baksi, S. M., and Means, J. C. 1987. "Bioaccumulation of Trace Organic Contaminants from Sediment by Baltic Clams (*Macoma balthica*) and soft-shell clams (*Mya arenaria*)," *Environmental Toxicology and Chemistry*, Vol 6, No. 12, pp 969-976.
- 82 Gerstl, Z., and Mingelgrin, U. 1984. "Sorption of Organic Substances by Soils and Sediments," *Journal of Environmental Science and Health, Part A—Environmental Science and Engineering*, Vol 19, No. 3, pp 297-312.



- 83 Haque, R., and Schmedding, D. 1976. "Studies on the Adsorption of Selected Polychlorinated Biphenyl Isomers on Several Surfaces," *Journal of Environmental Science and Health, Part B—Pesticides, Food Contaminants, and Agricultural Wastes*, Vol 11, No. 2, pp 129-137.
- 84 Hiraizumi, Y., Takahashi, M., and Nishimura, H. 1979. "Adsorption of Polychlorinated Biphenyl onto Sea Bed Sediment, Marine Plankton, and Other Adsorbing Agents," *Environmental Science & Technology*, Vol 13, No. 5, pp 580-584.
- 85 Karickhoff, S. W., Brown, D. S., and Scott, T. A. 1979. "Sorption of Hydrophobic Pollutants on Natural Sediments," *Water Research*, Vol 13, No. 3, pp 241-248.
- 86 Lambert, S. M., Porter, P. E., and Schieferstein, R. H. 1965. "Movement and Sorption of Chemicals Applied to the Soil," *Weeds*, Vol 13, pp 185-190.
- 87 McElroy, A. E., and Means, J. C. 1988. "Factors Affecting the Bioavailability of Hexachlorobiphenyls to Benthic Organisms," In: *Aquatic Toxicology and Hazard Assessment*, 10th Volume, ASTM STP 971, W. J. Adams, G. A. Chapman, and W. G. Landis, Editors, American Society for Testing and Materials, Philadelphia, pp 149-158.
- 88 McFarland, V. A. 1984. "Activity-Based Evaluation of Potential Bioaccumulation from Sediments," In: *Dredging and Dredged Material Disposal*, Raymond L. Montgomery and Jamie W. Leach, Editors, American Society of Civil Engineers, New York, Vol 1, pp 461-466.
- 89 Means, J. C., Wood, S. G., Hassett, J. J., and Banwart, W. L. 1980. "Sorption of Polynuclear Aromatic Hydrocarbons by Sediments and Soils," *Environmental Science & Technology*, Vol 14, No. 12, pp 1524-1528.
- 90 Means, J. C., Wood, S. G., Hassett, J. J., and Banwart, W. L. 1982. "Sorption of Amino- and Carboxy-Substituted Polynuclear Aromatic Hydrocarbons by Sediments and Soils," *Environmental Science & Technology*, Vol 16, No. 2, pp 93-97.
- 91 Rubinstein, N. I., Lores, E., and Gregory, N. R. 1983. "Accumulation of PCBs, Mercury, and Cadmium by *Nereis virens*, *Mercenaria mercenaria* and *Palaemonetes pugio* from Contaminated Harbor Sediment," *Aquatic Toxicology*, Vol 3, pp 249-260.

#### **Sediment particle size (85, 92-94)**

- 92 DeWitt, T. W., Ditsworth, G. R., and Swartz, R. C. 1988. "Effects of Natural Sediment Features on Survival of the Phoxocephalid Amphipod, *Rhepoxynius abronius*," *Marine Environmental Research*, Vol 25, pp 99-124.
- 93 Frank, A. P., Landrum, P. F., and Eadie, B. J. 1986. "Polycyclic Aromatic Hydrocarbon Rates of Uptake, Depuration, and Biotransformation by Lake Michigan *Stylodrilus heringianus*," *Chemosphere*, Vol 15, No. 3, pp 317-330.
- 94 Plesha, P. D., Stein, J. E., Schiewe, M. H., McCain, B. B., and Varansi, U. 1988. "Toxicity of Marine Sediments Supplemented with Mixtures of Selected Chlorinated and Aromatic Hydrocarbons to the Infaunal Amphipod *Rhepoxynius abronius*," *Marine Environmental Research*, Vol 25, pp 85-97.

#### **Sediment suspension (95-104)**

- 95 Brown, M. P. 1981. "PCB Desorption from River Sediments Suspended during Dredging: An Analytical Framework," New York State Department of Environmental Conservation, Technical Paper No. 65, pp 1-28.
- 96 Eaton, J. G., Mattson, V. R., Mueller, L. H., and Tanner, D. K. 1983. "Effects of Suspended Clay on Bioconcentration of Kelthane in Fathead Minnows," *Archives of Environmental Contamination and Toxicology*, Vol 12, pp 439-445.
- 97 Hall, W. S., Dickson, K. L., Saleh, F. Y., and Rodgers, J. H., Jr. 1986. "Effects of Suspended Solids on the Bioavailability of Chlordane to *Daphnia magna*," *Archives of Environmental Contamination and Toxicology*, Vol 15, pp 529-534.
- 98 Lindberg, S. E., and Harriss, R. C. 1977. "Release of Mercury and Organics from Resuspended Near-shore Sediments," *Journal, Water Pollution Control Federation*, Vol 49, No. 12, pp 2479-2487.
- 99 Luther, G. W., III, Wilk, Z., Ryans, R. A., and Meyerson, A. L. 1986. "On the Speciation of Metals in the Water Column of a Polluted Estuary," *Marine Pollution Bulletin*, Vol 17, No. 12, pp 535-542.
- 100 McIlroy, L. M., DePinto, J. V., Young, T. C., and Martin, S. C. 1986. "Partitioning of Heavy Metals to Suspended Solids of the Flint River, Michigan," *Environmental Toxicology and Chemistry*, Vol 5, No. 7, pp 609-623.
- 101 Rice, C. P., and White, D. S. 1987. "PCB Availability Assessment of River Dredging Using Caged Clams and Fish," *Environmental Toxicology and Chemistry*, Vol 6, No. 4, pp 259-274.
- 102 Salim, R. 1983. "Adsorption of Lead on the Suspended Particles of River Water," *Water Research*, Vol 17, No. 4, pp 423-429.

- 103 Strobel, C. J., Croonenberghs, R. E., and Huggett, R. J. 1981. "The Suspended Sediment-Water Partitioning Coefficient for Kepone in the James River, Virginia," *Environmental Pollution Series B*, Vol 2, pp 367-372.
- 104 Staples, C. A., Dickson, K. L., Rodgers, J. H., Jr., and Saleh, F. Y. 1985. "A Model for Predicting the Influence of Suspended Sediments on the Bioavailability of Neutral Organic Chemicals in the Water Compartment," In: *Aquatic Toxicology and Hazard Assessment: Seventh Symposium*, ASTM STP 854, R. D. Cardwell, R. Purdy, and R. C. Bahner, Eds., American Society for Testing and Materials, Philadelphia, pp 417-428.

#### **Dissolved organic carbon (105-119)**

- 105 Baker, J. E., Capel, P. D., Eisenreich, S. J. 1986. "Influence of Colloids on Sediment-Water Partition Coefficients of Polychlorobiphenyl Congeners in Natural Waters," *Environmental Science & Technology*, Vol 20, No. 11, pp 1136-1143.
- 106 Carlberg, G. E., Martinsen, K., Kringstad, A., Gjessing, E., Grande, M., Kallqvist, T., and Skare, J. U. 1986. "Influence of Aquatic Humus on the Bioavailability of Chlorinated Micropollutants in Atlantic Salmon," *Archives of Environmental Contamination and Toxicology*, Vol 15, pp 543-548.
- 107 Caron, G., Suffet, T. H., and Belton, T. 1985. "Effect of Dissolved Organic Carbon on the Environmental Distribution of Nonpolar Organic Compounds," *Chemosphere*, Vol 14, No. 8, pp 993-1000.
- 108 Chiou, C. T., Malcolm, R. L., Brinton, T. I., and Kile, D. E. 1986. "Water Solubility Enhancement of Some Organic Pollutants and Pesticides by Dissolved Humic and Fulvic Acids," *Environmental Science & Technology*, Vol 20, No. 5, pp 502-508.
- 109 Hassett, J. P., and Anderson, M. A. 1979. "Association of Hydrophobic Organic Compounds with Dissolved Organic Matter in Aquatic Systems," *Environmental Science & Technology*, Vol 13, No. 12, pp 1526-1529.
- 110 Hassett, J. P., and Anderson, M. A. 1982. "Effects of Dissolved Organic Matter on Adsorption of Hydrophobic Organic Compounds by River and Sewage-Borne Particles," *Water Research*, Vol 16, pp 681-686.
- 111 Hassett, J. P., and Millicic, E. 1985. "Determination of Equilibrium and Rate Constants for Binding of a Polychlorinated Biphenyl Congener by Dissolved Humic Substances," *Environmental Science & Technology*, Vol 19, No. 7, pp 638-643.
- 112 McCarthy, J. F. 1983. "Role of Particulate Organic Matter in Decreasing Accumulation of Polynuclear Aromatic Hydrocarbons (PAH) by *Daphnia magna*," *Archives of Environmental Contamination and Toxicology*, Vol 12, pp 559-568.
- 113 McCarthy, J. F., and Jimenez, B. D. 1985. "Reduction in Bioavailability to Bluegills of Polycyclic Aromatic Hydrocarbons Bound to Dissolved Humic Material," *Environmental Toxicology and Chemistry*, Vol 4, No. 4, pp 511-521.
- 114 Means, J. C., and Wijayarathne, R. 1982. "Role of Natural Colloids in the Transport of Hydrophobic Pollutants," *Science*, Vol 219, pp 968-970.
- 115 Thanabalasingam, P., and Pickering, W. F. 1986. "Arsenic Sorption by Humic Acids," *Environmental Pollution (Series B)*, Vol 12, pp 233-246.
- 116 Wijayarathne, R. D., and Means, J. C. 1984. "Sorption of Polycyclic Aromatic Hydrocarbons by Natural Estuarine Colloids," *Marine Environmental Research*, Vol 11, pp 77-89.
- 117 Wijayarathne, R. D., and Means, J. C. 1984. "Affinity of Hydrophobic Pollutants for Natural Estuarine Colloids in Aquatic Environments," *Environmental Science & Technology*, Vol 18, No. 2, pp 121-123.
- 118 Winner, R. W. 1985. "Bioaccumulation and Toxicity of Copper as Affected by Interactions Between Humic Acid and Water and Water Hardness," *Water Research*, Vol 19, No. 4, pp 449-455.
- 119 Zamuda, C. D., Wright, D. A., and Smucker, R. A. 1985. "The Importance of Dissolved Organic Compounds in the Accumulation of Copper by the American Oyster," *Marine Environmental Research*, Vol 16, pp 1-12.

#### **Hardness (118, 120-124)**

- 120 Bradley, R. W., and Sprague, J. B. 1985. "Accumulation of Zinc by Rainbow Trout as Influenced by pH, Water Hardness and Fish Size," *Environmental Toxicology and Chemistry*, Vol 4, pp 685-694.
- 121 Gauss, J. D., Woods, P. E., Winner, R. W., and Skillings, J. H. 1985. "Acute Toxicity of Copper to Three Life Stages of *Chironomus tentans* as Affected by Water Hardness-Alkalinity," *Environmental Pollution (Series A)*, Vol 37, pp 149-157.
- 122 Paulauskis, J. D., and Winner, R. W. 1988. "Effects of Water Hardness and Humic Acid on Zinc Toxicity to *Daphnia magna* Straus," *Aquatic Toxicology*, Vol 12, pp 273-290.
- 123 Winner, R. W. 1986. "Interactive Effects of Water Hardness and Humic Acid on the Chronic Toxicity of Cadmium to *Daphnia pulex*," *Aquatic Toxicology*, Vol 8, pp 281-293.

- 124 Winner, R. W., and Gauss, J. D. 1986. "Relationship Between Chronic Toxicity and Bioaccumulation of Copper, Cadmium and Zinc as Affected by Water Hardness and Humic Acid," *Aquatic Toxicology*, Vol 8, pp 149-161.

#### Salinity (125-137)

- 125 Burton, J. D. 1978. "Chemical Processes in Estuarine and Coastal Waters: Environmental and Analytical Aspects," *The Institution of The Water Engineers and Scientists*, Vol 32, No. 1, pp 31-44.
- 126 Dexter, R. N., and Pavlou, S. P. 1978. "Mass Solubility and Aqueous Activity Coefficients of Stable Organic Chemicals in the Marine Environment: Polychlorinated Biphenyls," *Marine Chemistry*, Vol 6, pp 41-53.
- 127 Duursma, E., Nieuwenhuize, J., van Liere, J., and Hillebrand, M. 1986. "Partitioning of Organochlorines Between Water, Particulate Matter and Some Organisms in Estuarine and Marine Systems of the Netherlands," *Netherlands Journal of Sea Research*, Vol 20, No. 2/3, pp 239-251.
- 128 Frenet, M. 1981. "The Distribution of Mercury, Cadmium and Lead Between Water and Suspended Matter in the Loire Estuary as a Function of the Hydrological Regime," *Water Research*, Vol 15, pp 1343-1350.
- 129 Gambrell, R. P., Khalid, R. A., and Patrick, W. H. 1980. "Chemical Availability of Mercury, Lead, and Zinc in Mobile Bay Sediment Suspensions as Affected by pH and Oxidation-Reduction Conditions," *Environmental Science & Technology*, Vol 14, No. 4, pp 431-436.
- 130 Hashimoto, Y., Tokura, K., Kishi, H., and Strachan, W. M. J. 1984. "Prediction of Seawater Solubility of Aromatic Compounds," *Chemosphere*, Vol 13, No. 8, pp 881-888.
- 131 Johns, C., Luoma, S. N., and Elrod, V. 1988. "Selenium Accumulation in Benthic Bivalves and Fine Sediments of San Francisco Bay, the Sacramento-San Joaquin Delta, and Selected Tributaries," *Estuarine, Coastal and Shelf Science*, Vol 27, pp 381-396.
- 132 Kuwabara, J. S., Chang, C. C. Y., Cloern, J. E., Fries, T. L., Davis, J. A., and Luoma, S. N. "Trace Metal Associations in the Water Column of South San Francisco Bay, California," *Estuarine, Coastal and Shelf Science* (in preparation).
- 133 Martin, M., Ichikawa, G., Goetzl, J., de los Reyes, M., and Stephenson, M. D. 1984. "Relationships Between Physiological Stress and Trace Toxic Substances in the Bay Mussel, *Mytilus edulis*, from San Francisco Bay, California," *Marine Environmental Research*, Vol 11, pp 91-110.
- 134 Sunda, W. G., and Guillard, R. R. L. 1976. "The Relationship Between Cupric Ion Activity and the Toxicity of Copper to Phytoplankton," *Journal of Marine Research*, Vol 34, pp 511-529.
- 135 Tedengren, M., Arner, M., and Kautsky, N. 1988. "Ecophysiology and Stress Response of Marine and Brackish Water Gammarus species (Crustacea, Amphipoda) to Changes in Salinity and Exposure to Cadmium and Diesel-Oil," *Marine Ecology Progress Series*, Vol 47, pp 107-116.
- 136 Wildish, D. J., Metcalfe, C. D., Akagi, H. M., and McLeese, D. W. 1980. "Flux of Aroclor 1254 Between Estuarine Sediments and Water," *Bulletin of Environmental Contamination and Toxicology*, Vol 24, pp 20-26.
- 137 Wright, D. A. and Zamuda, C. D. 1987. "Copper Accumulation by Two Bivalve Molluscs: Salinity Effect is Independent of Cupric Ion Activity," *Marine Environmental Research*, Vol 23, pp 1-14.

#### Biotransformation (138-148)

- 138 Andersson, T., and Koivusaari, U. 1986. "Oxidative and Conjugative Metabolism of Xenobiotics in Isolated Liver Cells from Thermally Acclimated Rainbow Trout," *Aquatic Toxicology*, Vol 8, pp 85-92.
- 139 Buhler, D. R., and Williams, D. E. 1988. "The Role of Biotransformation in the Toxicity of Chemicals," *Aquatic Toxicology*, Vol 11, pp 19-28.
- 140 Kleinow, K. M., Melancon, M. J., and Lech, J. J. 1987. "Biotransformation and Induction: Implications for Toxicity, Bioaccumulation and Monitoring of Environmental Xenobiotics in Fish," *Environmental Health Perspectives*, Vol 71, pp 105-119.
- 141 Landrum, P. F. 1982. "Uptake, Depuration and Biotransformation of Anthracene by the Scud *Pontoporeia hoyi*," *Chemosphere*, Vol 11, No. 10, pp 1049-1057.
- 142 Murphy, S. E., Drotar, A., and Fall, R. 1982. "Biotransformation of the Fungicide Pentachloronitrobenzene by *Tetrahymena thermophila*," *Chemosphere*, Vol 11, No. 1, pp 33-39.
- 143 Parsons, F., Lage, G. B., and Rice, R. 1985. "Biotransformation of Chlorinated Organic Solvents in Static Microcosms," *Environmental Toxicology and Chemistry*, Vol 4, No. 6, pp 739-742.
- 144 Pereira, W. E., Rostad, C. E., Updegraff, D. M., and Bennett, J. L. 1987. "Fate and Movement of Azaarenes and Their Anaerobic Biotransformation Products in an Aquifer Contaminated by Wood-Treatment Chemicals," *Environmental Toxicology and Chemistry*, Vol 6, No. 3, pp 163-176.

- 145 Reichert, W. L., Le Eberhart, B.-T., and Varanasi, U. 1985. "Exposure to Two Species of Deposit-Feeding Amphipods to Sediment-Associated [<sup>3</sup>H]Benzo[a]pyrene: Uptake, Metabolism and Covalent Binding to Tissue Macromolecules," *Aquatic Toxicology*, Vol 6, pp 45-56.
- 146 Shiari, M. P., and Sayler, G. S. 1982. "Biotransformation of PCB by Natural Assemblages of Freshwater Microorganisms," *Environmental Science & Technology*, Vol 16, No. 6, pp 367-369.
- 147 Stegeman, J. J. 1985. "Benzo[a]pyrene Oxidation and Microsomal Enzyme Activity in the Mussel (*Mytilus edulis*) and other Bivalve Mollusc Species from the Western North Atlantic," *Marine Biology*, Vol 89, pp 21-30.
- 148 Varanasi, U., Reichert, W. L., Stein, J. E., Brown, D. W., and Sanborn, H. R. 1985. "Bioavailability and Biotransformation of Aromatic Hydrocarbons in Benthic Organisms Exposed to Sediment from an Urban Estuary," *Environmental Science & Technology*, Vol 19, No. 9, pp 836-841.

#### Depuration (149-155)

- 149 Cravedi, J.-P., and Tulliez, J. 1986. "Fate of a Hydrocarbon Pollution Indicator in Fish: Absorption, Deposition and Depuration of Squalane in *Salmo gairdneri* R.," *Environmental Pollution (Series B)*, Vol 42, pp 247-259.
- 150 Goerke, H. 1984. "Temperature-Dependent Elimination of 2,4,6,2',4'-Pentachloro[U-<sup>14</sup>C]biphenyl in *Nereis virens* (Polychaeta)," *Archives of Environmental Contamination and Toxicology*, Vol 13, pp 347-355.
- 151 Gooch, J. A., and Hamdy, M. K. 1982. "Depuration and Biological Half-life of <sup>14</sup>C-PCB in Aquatic Organisms," *Bulletin of Environmental Contamination and Toxicology*, Vol 28, pp 305-312.
- 152 McManus, G. B., Wyman, K. D., Peterson, W. T., and Wurster, C. F. 1983. "Factors Affecting the Elimination of PCBs in the Marine Copepod *Acartia tonsa*," *Estuarine, Coastal and Shelf Science*, Vol 17, pp 421-430.
- 153 Spacie, A., and Hamelink, J. L. 1982. "Alternative Models for Describing the Bioconcentration of Organics in Fish," *Environmental Toxicology and Chemistry*, Vol 1, pp 309-320.
- 154 Widdows, J., Moore, S. L., Clarke, K. R., and Donkin, P. 1983. "Uptake, Tissue Distribution and Elimination of [1-<sup>14</sup>C]Naphthalene in the Mussel *Mytilus edulis*," *Marine Biology*, Vol 76, pp 109-114.
- 155 Zhang, Y., Rott, B., and Freitag, D. 1983. "Accumulation and Elimination of <sup>14</sup>C-PCBs by *Daphnia magna* Straus 1820," *Chemosphere*, Vol 12, No. 11/12, pp 1645-1651.

#### Diet (56, 93, 156-166)

- 156 Dillon, T. M. 1982. "Dietary Accumulation of Dimethylnaphthalene by the Grass Shrimp *Palaemonetes pugio* under Stable and Fluctuating Temperatures," *Bulletin of Environmental Contamination and Toxicology*, Vol 28, pp 149-153.
- 157 Fisher, D. J., Clark, J. R., Roberts, M. H., Jr., Connolly, J. P., and Mueller, L. H. 1986. "Bioaccumulation of Kepone by Spot (*Leiostomus xanthurus*): Importance of Dietary Accumulation and Ingestion Rate," *Aquatic Toxicology*, Vol 9, pp 161-178.
- 158 Goldstein, J. A., Hass, J. R., Linko, P., and Harvan, D. J. 1978. "2,3,7,8-Tetrachlorodibenzofuran in a Commercially Available 99% Pure Polychlorinated Biphenyl Isomer Identified as the Inducer of Hepatic Cytochrome P-448 and Aryl Hydrocarbon Hydroxylase in the Rat," *Drug Metabolism and Distribution*, Vol 6, No. 3, pp 258-264.
- 159 Leatherland, J. F., Sonstegard, R. A., and Holdriest, M. V. 1979. "Effect of Dietary Mirex and PCBs on Hepatosomatic Index, Liver Lipid, Carcass Lipid and PCB and Mirex Bioaccumulation in Yearling Coho Salmon, *Oncorhynchus kisutch*," *Comparative Biochemistry and Physiology*, Vol 63C, pp 243-246.
- 160 Maccubbin, A. E., Black, P., Trzeciak, L., and Black, J. J. 1985. "Evidence of Polynuclear Aromatic Hydrocarbons in the Diet of Bottom-Feeding Fish," *Bulletin of Environmental Contamination and Toxicology*, Vol 34, pp 876-882.
- 161 Pizza, J. C., and O'Connor, J. M. 1983. "PCB Dynamics in Hudson River Striped Bass; II: Accumulation from Dietary Sources," *Aquatic Toxicology*, Vol 3, pp 313-327.
- 162 Pritchard, P. H., Cripe, C. R., Walker, W. W., Spain, J. C., and Bourquin, A. W. 1987. "Biotic and Abiotic Degradation Rates of Methyl Parathion in Freshwater and Estuarine Water and Sediment Samples," *Chemosphere*, Vol 16, No. 7, pp 1509-1520.
- 163 Rubinstein, N. I., Gilliam, W. T., and Gregory, N. R. 1984. "Dietary Accumulation of PCBs from a Contaminated Sediment Source by a Demersal Fish (*Leiostomus xanthurus*)," *Aquatic Toxicology*, Vol 5, pp 331-342.
- 164 Smith, A. D., Griffith, T. J., Orr, D. E., and Ozburn, G. W. 1980. "Assimilation Efficiency and Clearance of Trichlorobenzenes in Rainbow Trout," In: *Aquatic Toxicology*, ASTM STP 707, J. G. Eaton, P. R. Parrish, and A. C. Hendricks, Editors, American Society for Testing and Materials, Philadelphia, pp 216-223.
- 165 Thomann, R. V. 1981. "Equilibrium Model of Fate of Microcontaminants in Diverse Aquatic Food Chains," *Canadian Journal of Fisheries and Aquatic Sciences*, Vol 38, pp 280-296.

- 166 Thomann, R. V., and Connolly, J. P. 1984. "Model of PCB in the Lake Michigan Lake Trout Food Chain," *Environmental Science & Technology*, Vol 18, No. 2, pp 65-71.

#### Feeding type (167-169)

- 167 Ekelund, R., Granmo, A., Berggren, M., Renberg, L., and Wahlberg, C. 1987. "Influence of Suspended Solids on Bioavailability of Hexachlorobenzene and Lindane to the Deposit-Feeding Marine Bivalve, *Abra nitida* (Muller)," *Bulletin of Environmental Contamination and Toxicology*, Vol 38, pp 500-508.
- 168 Nimmo, D. R., Wilson, P. D., Blackman, R. R., and Wilson, A. J., Jr. 1971. "Polychlorinated Biphenyl Absorbed from Sediments by Fiddler Crabs and Pink Shrimp," *Nature*, Vol 231, pp 50-52.
- 169 Roesijadi, G., Anderson, J. W., and Blaylock, J. W. 1977. "Uptake of Hydrocarbons from Marine Sediments Contaminated with Prudhoe Bay Crude Oil: Influence of Feeding Type of Test Species and Availability of Polycyclic Aromatic Hydrocarbons," *Journal of The Fisheries Research Board of Canada*, Vol 35, pp 608-614.

#### Kinetics of uptake and elimination (81, 141, 153, 170-196)

- 170 Bahner, L. H., and Oglesby, J. L. 1979. "Test of a Model for Predicting Kepone Accumulation in Selected Estuarine Species," In: *Aquatic Toxicology*, ASTM STP 667, L. L. Marking and R. A. Kimerle, Editors, American Society for Testing and Materials, Philadelphia, pp 221-231.
- 171 Boon, J. P., and Duinker, J. C. 1985. "Processes Determining the Kinetics of PCB Congeners in Marine Organisms: A Comparison Between Laboratory and Environmental Studies," *Marine Environmental Research*, Vol 17, pp 301-305.
- 172 Bradbury, S. P., Coats, J. R., and McKim, J. M. 1986. "Toxicokinetics of Fenvalerate in Rainbow Trout (*Salmo gairdneri*)," *Environmental Toxicology and Chemistry*, Vol 5, No. 6, pp 567-576.
- 173 Branson, D. R., Blau, G. E., Alexander, H. C., and Neely, W. B. 1975. "Bioconcentration of 2,2',4,4'-Tetrachlorobiphenyl in Rainbow Trout as Measured by an Accelerated Test," *Transactions of the American Fisheries Society*, No. 4, pp 785-792.
- 174 Branson, D. R., Takahashi, I. T., Parker, W. M., and Blau, G. E. 1985. "Bioconcentration Kinetics of 2,3,7,8-Tetrachlorodibenzo-p-Dioxin in Rainbow Trout," *Environmental Toxicology and Chemistry*, Vol 4, No. 6, pp 779-788.
- 175 Bruggeman, W. A., Martron, L. B. J. M., Kooiman, D., and Hutzinger, O. 1981. "Accumulation and Elimination Kinetics of Di-, Tri- and Tetra Chlorobiphenyls by Goldfish After Dietary and Aqueous Exposure," *Chemosphere*, Vol 10, No. 8, pp 811-832.
- 176 Califano, R. J., O'Connor, J. M., and Peters, L. S. 1980. "Uptake, Retention, and Elimination of PCB (Aroclor 1254) by Larval Striped Bass (*Morone saxatilis*)," *Bulletin of Environmental Contamination and Toxicology*, Vol 24, pp 467-472.
- 177 Ernst, W. 1977. "Determination of the Bioconcentration Potential of Marine Organisms A Steady State Approach I, Bioconcentration Data for Relation to Solubility Data," *Chemosphere*, No. 11, pp 731-740.
- 178 Fowler, S. W., Polikarpov, G. G., Elder, D. L., Parsi, P., and Villeneuve, J. P. 1978. "Polychlorinated Biphenyls: Accumulation from Contaminated Sediments and Water by the Polychaete *Nereis diversicolor*," *Marine Biology*, Vol 48, pp 303-309.
- 179 Galassi, S., and Calamari, D. 1983. "Toxicokinetics of 1,2,3 and 1,2,4 Trichlorobenzenes in Early Life Stages of *Salmo gairdneri*," *Chemosphere*, Vol 12, No. 11/12, pp 1599-1603.
- 180 Giesy, J. P., Bowling, J. W., and Kania, H. J. 1980. "Cadmium and Zinc Accumulation and Elimination by Freshwater Crayfish," *Archives of Environmental Contamination and Toxicology*, Vol 9, pp 683-697.
- 181 Hawker, D. W., and Connell, D. W. 1985. "Relationships Between Partition Coefficient, Uptake Rate Constant, Clearance Rate Constant and Time to Equilibrium for Bioaccumulation," *Chemosphere*, Vol 14, No. 9, pp 1205-1219.
- 182 Hodson, P. V., Blunt, B. R., Borgmann, U., Minns, C. K., and McGaw, S. 1983. "Effect of Fluctuating Lead Exposures on Lead Accumulation by Rainbow Trout (*Salmo gairdneri*)," *Environmental Toxicology and Chemistry*, Vol 2, No. 2, pp 225-238.
- 183 Hoogen, G. V., and Opperhuizen, A. 1988. "Toxicokinetics of Chlorobenzenes in Fish," *Environmental Toxicology and Chemistry*, Vol 7, No. 3, pp 213-220.
- 184 Karara, A. H., and Hayton, W. L. 1988. "Metabolic Inhibition and Di-2-Ethylhexyl Phthalate Pharmacokinetics in Fish," *Drug Metabolism and Disposition*, Vol 16, pp 146-150.
- 185 Karara, A. H., and Hayton, W. L. 1984. "Pharmacokinetic Model for the Uptake and Disposition of Di-2-Ethylhexyl Phthalate in Sheepshead Minnow *Cyprinodon variegatus*," *Aquatic Toxicology*, Vol 5, pp 181-195.

- 186 Konemann, H., and van Leeuwen, K. 1980. "Toxicokinetics in Fish: Accumulation and Elimination of Six Chlorobenzenes by Guppies," *Chemosphere*, Vol 9, p 1980.
- 187 Krzeminski, S. F., Gilbert, J. T., and Ritts, J. A. 1977. "A Pharmacokinetic Model for Predicting Pesticide Residues in Fish," *Archives of Environmental Contamination and Toxicology*, Vol 5, No. 2, pp 157-166.
- 188 Langston, W. J. 1978. "Accumulation of Polychlorinated Biphenyls in the Cockle *Cerastoderma edule* and the Tellin *Macoma balthica*," *Marine Biology*, Vol 45, pp 265-272.
- 189 Lohner, T. W., and Collins, W. J. 1987. "Determination of Uptake Rate Constants for Six Organochlorines in Midge Larvae," *Environmental Toxicology and Chemistry*, Vol 6, No. 2, pp 137-146.
- 190 Mackay, D., and Hughes, A. I. 1984. "Three-Parameter Equation Describing the Uptake of Organic Compounds by Fish," *Environmental Science & Technology*, Vol 18, No. 6, pp 439-444.
- 191 Mason, A. Z. 1988. "The Kinetics of Zinc Accumulation by the Marine Prosobranch Gastropod *Littorina littorea*," *Marine Environmental Research*, Vol 24, pp 135-139.
- 192 Niimi, A. J., and Cho, C. Y. 1981. "Elimination of Hexachlorobenzene (HCB) by Rainbow Trout (*Salmo gairdneri*), and an Examination of its Kinetics in Lake Ontario Salmonids," *Canadian Journal of Fisheries and Aquatic Sciences*, Vol 38, pp 1350-1356.
- 193 O'Connor, J. M., Schnitz, A. R., and Squibb, K. S. 1988. "In Vivo Kinetics of Benzo(a)pyrene and 7,12-Dimethylbenz(a)anthracene Assimilation and Metabolism in Rainbow Trout," *Marine Environmental Research*, Vol 24, pp 63-67.
- 194 Opperhuizen, A., and Schrap, S. M. 1987. "Relationships Between Aqueous Oxygen Concentration and Uptake and Elimination Rates During Bioconcentration of Hydrophobic Chemicals in Fish," *Environmental Toxicology and Chemistry*, Vol 6, No. 5, pp 335-342.
- 195 Roberts, M. H., Jr., and Fisher, D. J. 1985. "Uptake and Clearance Rates for Kepone in Two Marine Fish Species," *Archives of Environmental Contamination and Toxicology*, Vol 14, pp 1-6.
- 196 Walker, C. H. 1987. "Kinetic Models for Predicting Bioaccumulation of Pollutants in Ecosystems," *Environmental Pollution*, Vol 44, pp 227-240.

#### **Lipid content (87-88, 171, 197-205)**

- 197 Boryslawskyj, M., Garrood, T., Stanger, M., and Pearson, T. 1988. "Role of Lipid-Water Partitioning and Membrane Composition in the Uptake of Organochlorine Pesticides into a Freshwater Mussel," *Marine Environmental Research*, Vol 24, pp 57-61.
- 198 Chiou, C. T. 1985. "Partition Coefficients of Organic Compounds in Lipid-Water Systems and Correlations with Fish Concentration Factors," *Environmental Science & Technology*, Vol 19, No. 1, pp 57-62.
- 199 Geyer, H., Sheehan, P., Kotzias, D., Freitag, D., and Korte, F. 1982. "Prediction of Ecotoxicological Behavior of Chemicals: Relationship Between Physico-Chemical Properties and Bioaccumulation of Organic Chemicals in the Mussel *Mytilus edulis*," *Chemosphere*, Vol 11, No. 11, pp 1121-1134.
- 200 Lunsford, C. A., and Blem, C. R. 1982. "Annual Cycle of Kepone Residue and Lipid Content of the Estuarine Clam, *Rangia cuneata*," *Estuaries*, Vol 5, No. 2, pp 121-130.
- 201 Mackay, D. 1982. "Correlation of Bioconcentration Factors," *Environmental Science & Technology*, Vol 16, No. 5, pp 274-278.
- 202 Schneider, R. 1982. "Polychlorinated Biphenyls (PCBs) in Cod Tissues from the Western Baltic: Significance of Equilibrium Partitioning and Lipid Composition in the Bioaccumulation of Lipophilic Pollutants in Gill-Breathing Animals," *Meeresforschung*, Vol 29, pp 69-79.
- 203 Shaw, G. R., and Connell, D. W. 1980. "Polychlorinated Biphenyls in the Brisbane River Estuary, Australia," *Marine Pollution Bulletin*, Vol 11, No. 12, pp 356-358.
- 204 Skea, J. C., Simonin, H. A., Dean, H. J., Colquhoun, J. R., Spagnoli, J. J., and Veith, G. D. 1979. "Bioaccumulation of Aroclor 1016 in Hudson River Fish," *Bulletin of Environmental Contamination and Toxicology*, Vol 22, pp 332-336.
- 205 Spigarelli, S. A., Thommes, M. M., and Prepejchal, W. 1983. "Thermal and Metabolic Factors Affecting PCB Uptake by Adult Brown Trout," *Environmental Science & Technology*, Vol 17, No. 2, pp 88-94.

#### **Metabolic rate (14, 145, 150, 156, 176, 194, 206-211)**

- 206 Dillon, T. M. 1983. "Oxygen Consumption in the Shrimp, *Palaemonetes pugio*, Exposed to Fluctuating Temperatures and Food Contaminated with the Diaromatic Petroleum Hydrocarbon, Dimethylnaphthalene," *Estuarine, Coastal and Shelf Science*, Vol 16, pp 403-413.

- 207 Landrum, P. F. 1988. "Toxicokinetics of Organic Xenobiotics in the Amphipod, *Pontoporeia hoyi*: Role of Physiological and Environmental Variables," *Aquatic Toxicology*, Vol 12, pp 245-271.
- 208 Norstrom, R. J., McKinnon, A. E., DeFreitas, A. S. W. 1976. "A Bioenergetics-Based Model for Pollutant Accumulation by Fish, Simulation of PCB and Methylmercury Residue Levels in Ottawa River Yellow Perch (*Perca flavescens*)," *Journal of the Fisheries Research Board of Canada*, Vol 33, pp 248-267.
- 209 Powell, J. H., and Fielder, D. R. 1983. "Temperature and Accumulation of DDT by Sea Mullet (*Mugil cephalus* L.)," *Marine Pollution Bulletin*, Vol 14, No. 1, pp 21-24.
- 210 Sijm, D. T. H. M., and Opperhuizen, A. 1988. "Biotransformation, Bioaccumulation and Lethality of 2,8-Dichlorodibenzo-*p*-dioxin: A Proposal to Explain the Biotic Fate and Toxicity of PCDD's and PCDF's," *Chemosphere*, Vol 17, No. 1, pp 83-99.
- 211 Stalling, D. L., Norstrom, R. J., Smith, L. M., and Simon, M. 1985. "Patterns of PCDD, PCDF, and PCB Contamination in Great Lakes Fish and Birds and Their Characterization by Principal Components Analysis," *Chemosphere*, Vol 14, No. 6/7, pp 627-643.

#### **Metallothioneins (212-222)**

- 212 Hamilton, S. J., and Mehrle, P. M. 1986. "Metallothionein in Fish: Review of Its Importance in Assessing Stress from Metal Contaminants," *Transactions of the American Fisheries Society*, Vol 115, pp 596-609.
- 213 Harrison, F. L., Watness, K., Nelson, D. A., Miller, J. E., and Calabrese, A. 1987. "Mercury-Binding Proteins in the Slipper Limpet, *Crepidula fornicata*, Exposed to Increased Soluble Mercury," *Estuaries*, Vol 10, No. 1, pp 78-83.
- 214 Jenkins, K. D., and Mason, A. Z. 1988. "Relationships Between Subcellular Distributions of Cadmium and Perturbations in Reproduction in the Polychaete *Neanthes arenaceodentata*," *Aquatic Toxicology*, Vol 12, pp 229-244.
- 215 Klaverkamp, J. F., and Duncan, D. A. 1987. "Acclimation to Cadmium Toxicity by White Suckers: Cadmium Binding Capacity and Metal Distribution in Gill and Liver Cytosol," *Environmental Toxicology and Chemistry*, Vol 6, No. 4, pp 275-289.
- 216 Langston, W. J., and Zhou, M. 1987. "Cadmium Accumulation, Distribution and Elimination in the Bivalve *Macoma balthica*: Neither Metallothionein Nor Metallothionein-like Proteins are Involved," *Marine Environmental Research*, Vol 21, pp 225-237.
- 217 Riisgard, H. U., Bjornestead, E., and Mohlenberg, F. 1987. "Accumulation of Cadmium in the Mussel *Mytilus edulis*: Kinetics and Importance of Uptake Via Food and Sea Water," *Marine Biology*, Vol 96, pp 349-353.
- 218 Sanders, B. M., Jenkins, K. D., Sunda, W. G., and Costlow, J. D. 1983. "Free Cupric Ion Activity in Seawater: Effects on Metallothionein and Growth in Crab Larvae," *Science*, Vol 222, pp 53-55.
- 219 Viarengo, A., Moore, M. N., Mancinelli, G., Mazzucotelli, A., and Pipe, R. K. 1985. "Significance of Metallothioneins and Lysosomes in Cadmium Toxicity and Homeostasis in the Digestive Gland Cells of Mussels Exposed to the Metal in Presence or Absence of Phenanthrene," *Marine Environmental Research*, Vol 17, pp 184-187.
- 220 Viarengo, A., Palmero, S., Zanocchi, G., Capelli, R., Vaissiere, R., and Orunesu, M. 1985. "Role of Metallothioneins in Cu and Cd Accumulation and Elimination in the Gill and Digestive Gland Cells of *Mytilus galloprovincialis* Lam.," *Marine Environmental Research*, Vol 16, pp 23-36.
- 221 Webb, M. 1979. "The Metallothioneins," In: *The Chemistry, Biochemistry and Biology of Cadmium*, M. Webb, Editor, Elsevier/North Holland Biomedical Press, The Netherlands, pp 195-266.
- 222 Weser, U., and Rupp, H. 1979. "Physicochemical Properties of Metallothioneins," In: *The Chemistry, Biochemistry and Biology of Cadmium*, M. Webb, Editor, Elsevier/North-Holland Biomedical Press, The Netherlands, pp 267-283.

#### **Mixed-function oxidases (138, 140, 147, 223-235)**

- 223 Ankley, G. T., Blazer, V. S., Reinert, R. E., and Agosin, M. 1986. "Effects of Aroclor 1254 on Cytochrome P-450-Dependent Monooxygenase, Glutathione S-Transferase, and UDP-Glucuronosyltransferase Activities in Channel Catfish Liver," *Aquatic Toxicology*, Vol 9, pp 91-103.
- 224 Clarke, J. U. 1986. "Structure-Activity Relationships in PCBs: Use of Principal Components Analysis to Predict Inducers of Mixed-Function Oxidase Activity," *Chemosphere*, Vol 15, No. 3, pp 275-287.
- 225 Fries, C. R., and Lee, R. F. 1984. "Pollutant Effects on the Mixed Function Oxygenase (MFO) and Reproductive Systems of the Marine Polychaete *Nereis virens*," *Marine Biology*, Vol 79, pp 187-193.
- 226 Gilewicz, M., Guillaume, J. R., and Bertrand, J. C. 1987. "Characterization of the Liver Cytochrome P (450) in the Marine Fish *Mugil cephalus* and Effects of Some Hydrocarbons on the Mixed-function Oxidase Components," *Marine Biology*, Vol 96, pp 157-162.

- 227 Gilewicz, M., Guillaume, J. R., Carles, D., Leveau, M., and Bertrand, J. C. 1984. "Effects of Petroleum Hydrocarbons on the Cytochrome P-450 Content of the Mollusc Bivalve *Mytilus galloprovincialis*," *Marine Biology*, Vol 80, pp 155-159.
- 228 Jimenez, B. D., and Burtis, L. S. 1988. "Response of the Mixed-function Oxidase System to Toxicant Dose, Food and Acclimation Temperature in the Bluegill Sunfish," *Marine Environmental Research*, Vol 24, pp 45-49.
- 229 Kloepper-Sams, P. J., and Stegeman, J. J. 1988. "Induction of Cytochrome P-450 in *Fundulus heteroclitus*: Enzyme Activity, Immunochemical and Nucleic Acid Studies," *Marine Environmental Research*, Vol 24, No. 02232, pp 21-25.
- 230 Livingstone, D. R. 1987. "Seasonal Responses to Diesel Oil and Subsequent Recovery of the Cytochrome P-450 Monooxygenase System in the Common Mussel, *Mytilus edulis* L., and the Periwinkle, *Littorina littorea* L.," *The Science of the Total Environment*, Vol 65, pp 3-20.
- 231 Livingstone, D. R., and Farrar, S. V. 1985. "Responses of the Mixed Function Oxidase System of Some Vivalve and Gastropod Molluscs to Exposure to Polynuclear Aromatic and Other Hydrocarbons," *Marine Environmental Research*, Vol 17, pp 101-105.
- 232 Livingstone, D. R., and Farrar, S. V. 1984. "Tissue and Subcellular Distribution of Enzyme Activities of Mixed-Function Oxygenase and Benzo(a)pyrene Metabolism in the Common Mussel *Mytilus edulis* L.," *The Science of the Total Environment*, Vol 39, pp 209-235.
- 233 Singh, H., Pavgi-Singh, S., Kezic, N., and Kurelec, B. 1985. "Xenobiotic and Endobiotic Induction of Mixed Function Monooxygenase in Carp *Cyprinus carpio*," *The Science of the Total Environment*, Vol 44, pp 123-133.
- 234 Spies, R. B., Felton, J. S. and Dillard, L. 1982. "Hepatic Mixed-Function Oxidases in California Flatfishes Are Increased in Contaminated Environments and by Oil and PCB Ingestion," *Marine Biology*, Vol 70, pp 117-127.
- 235 Stegeman, J. J., and Kloepper-Sams, P. J. 1987. "Cytochrome P-450 Isozymes and Monooxygenase Activity in Aquatic Animals," *Environmental Health Perspectives*, Vol 71, pp 87-95.